

# WHO WE ARE

- Trusted brand
- Over 40 years' experience
- Manufactured in Parys, South Africa
- Employ a South African workforce
- Source locally
- Partnership mindset
- We make fit-for-purpose units
- Innovative R&D team
- Adhere to global safety standards
- ISO 9001:2015 QMS
- Energy saving mindset
- We make durable, quality units
- Produce cost effective products

The trusted source of self-contained commercial refrigeration equipment that promotes the customers product to its full potential.



*AFRICA'S MOST ENERGY  
EFFICIENT COOLERS*



*HIGH PERFORMANCE  
TROPICAL SPECIFICATION*



*MANUFACTURING TO  
GLOBAL STANDARDS ON  
THE AFRICAN CONTINENT*



# PRODUCT FEATURES



## High Quality Components

STAYCOLD units are manufactured using the best quality components that have been tried and tested in the marketplace and renowned for their reliability and durability.




## Adjustable Shelving

Easily fitted, strong and height adjustable shelves are standard on all cabinets. Double door models have independent adjustment on both sides.



## Excellent Self Closing Doors

Be it the simple gravity system on our sliding doors or the durable torsion bar system on our hinge door models, reliability is assured.



## Anti-corrosion Material

STAYCOLD cabinets are built using extensive anti-corrosion measures throughout.




## Easy Maintenance Access

Simple removal of the front ventilation grill allows for easy access to all the main components without having to move the cabinet from its location.



## Only Front Ventilation Required

Intelligent design of the condensing unit allows for the unit to be placed flush against a wall with no side or back ventilation required.



## Low-E Glass

Reduces heat loss by 27% compared to ordinary double paned glass. Increases the efficiency of the cabinet as well as eliminating sweating.



## Double Pane Safety Glass

Both the internal and external panes of glass on a STAYCOLD cabinet are double tempered in line with international standards and ensuring that safety is not compromised in the event of a breakage.



## Digital Control Module

Allows for simple control of the temperature of the cabinet as well as displaying the product temperature. Also can control the energy usage of the cabinet and protects the unit against poor power supply.



## Copper & Aluminum Heat Exchangers

The use of the best copper and aluminum heat exchangers in the condenser and evaporator ensure the performance and efficiency of the unit.



## Adjustable Feet

Leveling of the cabinet in position is easy by way of the adjustable feet on all four corners.

# PRODUCT RANGE


## Beverage Coolers



HD430



HD580



SD1140-FLC



Cold 390TW



Cold 390T



HD690



HD690-LFS



SHD690



SD890



SD1140



SD1360



HD1140



HD1140-LFS



SHD1140

# PRODUCT RANGE

## Display Freezers



HD580F



HD690F



HD1140F



HD690F-S



HD1140F-S



SHD690F



SHD1140F

## Underbars



SDU2000

We also have a range of 1.8m wide underbars that are available on a build to order basis

